

# Tag Pro M

## Tag Pro M/XL



# Operator Manual

# **MACHINE SPECIFICATIONS:**

**TAG PRO M**

**PRINT AREA: 5"x 5"**

**STANDARD FRAME: 9"x 13" OD**

**TAG PRO M/XL**

**PRINT AREA: 10"x 10"**

**STANDARD FRAME: 14"x 18" OD**

**ELECTRICAL : 120 VAC 3 AMP**

**AIR: 60 PSI @ 4 CFM**

**FOOTPRINT / MACHINE DIAMETER 14"x 30"**

**SUPPORT :**

[www.tagproxl.com](http://www.tagproxl.com)

[service@theots.com](mailto:service@theots.com)

909-772-7644

909-772-7645

**MANUFACTURED:**

OTS


3201 N. ALAMEDA ST

COMPTON, CA 90222


USA

# CONTROL PANELS AND DESCRIPTION



## MAIN SCREEN



# AUTOMATIC CYCLE CONTROLS



AUTOMATIC CYCLE LENGTH DETERMINED BY LOAD TIME



AUTOMATIC CYCLE LENGTH DETERMINED BY LOAD TIME

# COUNT DOWN COMPLETE MAIN SCREEN



PRESS TO RESET  
COUNT DOWN AND  
PROCEED

# HEAD SETUP SCREEN

